

55260-11

1/2/2014

Jacket 1/3



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

OFFICE OF  
CHEMICAL SAFETY AND  
POLLUTION PREVENTION

Bert Volger  
Agriphar S.A.  
C/o Ceres International LLC  
1087 Heartsease Drive  
West Chester, PA 19382

JAN 02 2014

Subject: Syllit 65WG  
EPA Reg. No. 55260-11  
Amendment dated November 18, 2013  
Decision Number: 485900

Dear Mr. Volger,

The supplemental label referred to above, submitted in connection with registration under the Federal, Insecticide, Fungicide, and Rodenticide Act as amended is acceptable. A stamped copy of your label is enclosed for your records.

You must submit one (1) copy of the final printed label before you release the product for shipment. Products released for shipment after eighteen (18) months from the date of this letter must bear the new revised label. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA §6(e). Your release for shipment of the product constitutes acceptance of these conditions. If you have any questions, please contact Tamue L. Gibson by phone at (703) 305-9096 or via email at [gibson.tamue@epa.gov](mailto:gibson.tamue@epa.gov).

Sincerely,

A handwritten signature in black ink, appearing to read "Hope A. Johnson".

Hope A. Johnson  
Product Manager (21)  
Fungicide Branch  
Registration Division (7504P)

Enclosure: Label stamped Accepted



**ACCEPTED**  
**JAN 02 2014**  
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 55260-11

# SYLLIT® 65WG

EPA Reg. No. 55260-11

This Supplemental Labeling is for the Use of Almonds in the State of California.  
 This Supplemental Label Expires on November 28, 2015  
 and Must Not Be Used Or Distributed After This Date

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. The labeling must be in possession of the user at the time of application. Read the label affixed to the container for SYLLIT 65WG before applying. Use of SYLLIT 65WG according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for SYLLIT 65WG.

Read the entire label before using this product. Use only according to label instructions.

Read "WARRANTY DISCLAIMER" and "LIMITATION OF LIABILITY" before buying or using. If terms are not acceptable, return product at once unopened.

Use of SYLLIT 65WG according to this labeling is subject to the use restrictions and limitations imposed by the label affixed to the container for SYLLIT 65WG.

See product label for complete Directions for Use, Precautions, Restrictions, First Aid, Storage and Disposal.

Manufactured by and registration holder:  
 Agriphar S.A.  
 Rue de Renory, 26/1  
 B-4102 Ougrée-Belgium

Distributed by:  
 Aceto Agricultural Chemicals Corporation  
 4 Tri Harbor Court  
 Port Washington, NY 11050

**ALMONDS USE DIRECTIONS**

The following instructions indicate use pattern, rates, minimum spray volumes, and pre-harvest interval for specific uses.

**Restrictions:**

- Do not apply more than 6 lbs of SYLLIT 65WG per acre per year (3.9 lbs ai/acre/year).
- Do not apply more than 2 lbs of SYLLIT 65WG per acre per application.
- Do not apply more than 3 applications per year.
- Do not apply less than 10 days from the last application.
- Do not apply later than 5 weeks after petal fall.

**Brown rot blossom blight (*Monilinia laxa*/*Monilinia fructicola*)** – For disease suppression, use 1.5 to 2 lbs of SYLLIT 65WG per acre at pink bud, full bloom, and petal fall.

**Scab (*Venturia carpophila* anamorph, *Cladosporium carpophilum*)** – Use 1.5 to 2 lbs of SYLLIT 65WG per acre at petal fall, Repeat application 2 and 5 weeks later.

**Shot hole (*Wilsonomyces carpophilus*)** – Use 1.5 to 2 lbs of SYLLIT 65WG per acre at leaf emergence (bloom through petal fall), Repeat application 2 and 5 weeks later.

**Anthracoise (*Gnomonia leptostyla*)** - Use 1.5 to 2 lbs of SYLLIT 65WG per acre when first leaves unfold. Repeat application at 10 to 14 day intervals.

SYLLIT<sup>®</sup> is a trademark of Agriphar S.A.